品質符合 FDA & Class VI 等相關要求 可重複高溫高壓滅菌使用

可重複高溫高壓滅菌使用 適台蠕動幫浦液體輸送, 相關管件銜接



食品等級 (Peroxide Cured)

食品&醫藥等級矽膠管

	Part No.	ID/OD	Standard Length
#14	101-601-14-25	1.60 / 4.76 mm	25'
#16	101-601-16-25	3.17 / 6.35 mm	25'
#25	101-601-25-25	4.76 / 7.90 mm	25'
#17	101-601-17-25	6.35 / 9.50 mm	25'
#18	101-601-18-25	8.00 / 11.00 mm	25'
#15	101-601-15-25	4.76 / 9.50 mm	25'
#24	101-601-24-25	6.35 / 11.11 mm	25'
#35	101-601-35-25	7.90 / 12.70 mm	25'

醫藥等級 (Platinum Cured)

	Part No.	ID / OD	Standard Length
#14	101-901-14-25	1.60 / 4.76 mm	25'
#16	101-901-16-25	3.17 / 6.35 mm	25'
#25	101-901-25-25	4.76 / 7.90 mm	25'
#17	101-901-17-25	6.35 / 9.50 mm	25'
#18	101-901-18-25	8.00 / 11.00 mm	25'
#15	101-901-15-25	4.76 / 9.50 mm	25'
#24	101-901-24-25	6.35 / 11.11 mm	25'
#35	101-901-35-25	7.90 / 12.70 mm	25'

耐磨醫藥等級

耐磨醫藥等級矽膠管

可用於酒精等有機溶劑輸送(來電確認化學耐受性)

	Part No.	ID / OD	Standard Length
#14	101-801-14-25	1.60 / 4.76 mm	25'
#16	101-801-16-25	3.17 / 6.35 mm	25'
#25	101-801-25-25	4.76 / 7.90 mm	25'
#17	101-801-17-25	6.35 / 9.50 mm	25'
#18	101-801-18-25	8.00 / 11.00 mm	25'
#15	101-801-15-25	4.76 / 9.50 mm	25'
#24	101-801-24-25	6.35 / 11.11 mm	25'
#35	101-801-35-25	7.90 / 12.70 mm	25'

以上另有供應大包裝 500′/卷



欣梗科技(股)公司 www.lefoscience.com













